

Compound Formulation Active Pharmaceutical Ingredients and the Associated Adverse Effects and Potential Contraindications/Warnings and Precautions

## Moxifloxacin + Bromfenac

Moxifloxacin HCl	
Possible Adverse Reaction	Potential Contraindications / Warnings and Precautions
Conjunctivitis, Decreased visual acuity, Dry eye, Keratitis, Ocular discomfort, Ocular hyperemia, Ocular pain, Ocular pruritus, Subconjunctival hemorrhage, and Tearing, Anaphylaxis, Growth of resistant organisms, Fever, Increased cough, Infection, Otitis media, Pharyngitis, Rash and Rhinitis.	Patients less than 1 year, Lactation, Pregnancy. Known hypersensitivity to flouroquinolones or any of the components. Growth of resistant organisms with prolonged use.
Bromfenac	
Possible Adverse Reaction	Potential Contraindications / Warnings and Precautions
Anterior chamber eye inflammation, Headache, Vitrious floaters, Iritis, Eye pain, Ocular hypertension, Burning sensation, Conjunctival hyperemia, Corneal erosion, Corneal perforation, Corneal thinning, Corneal ulcer, Epithelial keratopathy, Eye irritation, Eye pruritus, Eye redness, Hypersensitivity reaction, Keratitis, Prolonged bleeding, Stinging sensation, Abnormal sensation in eyes, Anaphylaxis	Lactation, Pediatric patients, Pregnancy, Slow or Delayed Healing (NSAIDS), Potential for cross-sensitivity (NSAIDS) or any of the components. Increased bleeding time of ocular tissue, Keratitis, Corneal reactions. Corneal adverse events are increased in patients with dry eye syndrome, rheumatoid arthritis, repeat ocular surgeries in a short time, and diabetes mellitus.

<sup>\*</sup>For professional use only. OSRX specializes in customizing compounded medications to meet unique patient needs. Compounded drugs are not FDA-approved, which means they have not undergone FDA premarket review for safety, effectiveness, and quality. **View potential adverse events and contraindications at: www.osrxpharmaceuticals.com/osrx-api-aecontraindication**